



13401 West 43rd Dr., Suite 15
Golden, CO 80403
303/271-0491 · 800/845-8849 · fax 303/271-0512
www.animalhealthoptions.com

OVERDOSE RECOMMENDATIONS

Even with nutritional supplements, over-ingestion could cause adverse clinical signs. Please see our recommendations below. The number for Animal Poison Control Center is (888) 426-4435.

Proanthozone, ProAnimal, ProtectaCell, ProMotion & Prosamine

- Not necessary to induce vomiting.
- Watch for side-effects, diarrhea and vomiting are possible. If these effects do occur, they should not last more than 24 hours.
- Stop usage for about a week.

ProQuiet

- Induce vomiting if overdose has occurred within 12 hours.
- After 12 hours, not necessary to induce vomiting.
- Watch closely for next 24 hours for side effects; excessive drowsiness is possible.
- Stop usage for about a week.

ProNeurozone, Proanthozone Derm

- Induce vomiting, ideally within an hour of ingestion
- Watch for side effects, including continued vomiting, ataxia, hypersalivation, tremors, seizures, and weakness. If these side effects are present, please call your veterinarian or local veterinary emergency clinic.
- Stop usage for one week

Induce vomiting by orally administering equal parts water and hydrogen peroxide. Use 1 teaspoon peroxide plus 1 tsp water for every 5 lbs of the pet's body weight, not exceeding 9 teaspoons (or 3 Tablespoons).